





## NEW ZEALAND'S PREMIER BUILDING INDUSTRY MAGAZINE







### **PUBLISHED EVERY 2 MONTHS**



## **Building knowledge**

*Build* is New Zealand's premier building industry magazine. Published every 2 months by BRANZ in hard copy and online, its mission is to inform, educate and challenge builders, architects, designers and others to create a building system that delivers better outcomes for all. *Build* contains:

- quality practical technical information to enhance building design and construction practice
- impartial findings and advice from unbiased industry research
- information on topical industry issues, including changes in the Building Code and standards, new opportunities and trends.

#### Build is the number one magazine choice for the New Zealand building and construction sector.

#### What our readers have to say:\*

- 'Great articles, current and topical. I often search and read topics online.'
- 'Find the articles very useful to stay up to date and learn about new products on the market.'
- 'By far the best magazine for the building industry, very informative and keeps everyone up with Building Code changes.'
- 'The technical articles are a great source of knowledge and education that I can call on for reference and show to other people to help understand a situation.'

\* BUILD READERS' SURVEY 2021

## **Building readers**

In the 12 months to March 2023, *Build*'s average hard copy circulation was 34,323 copies<sup>\*</sup>, reaching over 60,000 decision-makers right across the construction industry. Complementing this is *Build online*, which had 28,557 users in February 2023.

*Build* influences builders, architects, designers, building officials, manufacturers, subcontractors, engineers, building suppliers, education providers, building owners and others in the building industry.

As well as being sent to its subscribers, *Build* is sent to members of organisations and associations including:

- licensed building practitioners
- New Zealand Certified Builders
- Registered Master Builders Federation
- Building Levy members
- New Zealand Institute of Architects
- Architectural Designers New Zealand
- Building Officials Institute of New Zealand
- New Zealand Institute of Building
- New Zealand Institute of Building Surveyors
- New Zealand Institute of Quantity Surveyors.

\* MAGAZINE360.CO.NZ/PUBLISHER/BRANZ/BUILD









GEPHIC ROBANG, AND CRANDUTE RECENT RECENT REALINGTON, DARANG RELING INTRATIO ACCULAR, HICH PERITA NER SALAND SOCIETY FOR CARTINGENES (NUMERANG INTRA COMPACTION, UNDER CONSULTING INTRA COMPACTION, UNDER CONSULTING





and a second	press bulleyers a suite to a sal	Influences on individual and community risk televance
angituda.	Figure 2. This included advecting acciduation	Understanding what speed people take
mage step.	action in semicial griats and seven ex-	actions and arbait stype them, helps to
Life black into	comparing arrival instantion and behaving	and contained for by the requirement of a standard
main of the	actualize that many new sufficient pleases	Note-Instructional
	Reported than, there is a growing super-	Buttern's action of astern that relia-
	taxion for minimuming the likely environ-	Non-Indiate
	ministal hugarits of an air Waganke such.	· sublighted datapase to wine mits
Reason of	on wake provaluon and above means	structure emilies and suggestations
	estimations of million is terminated becaute	the browning a longer warting safety
ine Daliblication		· alegory affordable excession
I southerned	Mace buildings aspected to	· president of present pole presi-
his issued	function post-earthquake	new support
	The annumptor of continued building	· clobed that is the eighteening activity
Includes that	Families after a large softhanake to	structure perceivable from reduction.
	instantly searced for fulldings with	with round inflation, however, color and
	control and disaster hatchers such as	the entrement hangeon that COVED in
A langeiting	income and containing arritic facilities.	Harry and could not what the lot of
and to the	Measures, Annualization in the Patielies of	the based or build in the based of the
	other building type on have ignificant	
		Official risk principles
the first set	And sign from the study invalid in law	behale there are seens out by also rece-
a principal and	Latting for instant formula for Percentry	Carriers Test an out to briefs of the stands
mic print	called to a factable tobut of buildings.	many canadian of impacts that cause
and the second second	inducting monetria stabil agent tech for thread.	autogeneration of a first sector of an interaction
privation bet	Itiatia, training and an inclusion	Alter to both their tideration for reak and
d wheel and the	buildings to had particular building by of	protection that instanting title.
remains a	they build a type preparate with a start	The least of instates function propriates

Balla MB - OCTIMON 1913

**Build** is the New Zealand building sector's highly influential magazine and online information resource. Its engaged readers take action after reading articles – or advertisements – in the magazine and online.

## Building influence

Valuable content: After reading *Build*, 67% of readers archived articles for future reference and 69% discussed an article with others. Valuable advertising: 28% of *Build* readers phoned an advertiser or visited an advertiser's website after reading *Build*, while 15% went on to purchase a product or service. 38% did things differently, using a new technique or product.

## Building engagement

Essential reading: 96% of *Build* readers consider the magazine to be essential, very useful or useful.

Highly engaged: 74% of readers spend 30 minutes or longer reading each issue of *Build*, with the printed copy preferred by 60%.

Highly relevant: 87% of readers read at least half of the magazine, while 68% read most, if not all, of each issue of *Build*.

## Building effectiveness

Useful information: *Build* magazine is seen as essential or very useful for 80% of all readers. Specifiers (architects, designers) are most likely to see it as essential (29%). Highly shared: 41% share their copy of *Build* 

with others. Over half of those who share their copy share it with at least two others with an average of 2.23 readers for each printed copy of *Build*. What *Build* readers are saying...\*

92%

agree **Build** is **easy to understand**  93%

rated their overall satisfaction with **Build** as **very good** or **good** 

rated Build as essential, very useful or useful 83%

archived articles for **future reference**, discussed an article with others or **applied something they learned** 

66%

improving their work

74%


spend 30 minutes or **longer** reading **each issue** of **Build** 

\* FROM 2021 BUILD READERS' SURVEY

## **Editorial schedule and deadlines**

ISSUE	RELEASE DATE	MAIN FEATURE	AD BOOKING DEADLINE	AD MATERIAL DUE	ONSERTS BOOKING DEADLINE	ONSERTS DUE
Build 196 Jun/Jul 23	1 Jun 23	Adapting to climate change	1 Apr	15 Apr	1 May	15 May 2023
Build 197 Aug/Sep 23	1 Aug 23	Building resilience	1 Jun	15 Jun	1 Jul	15 Jul 2023
Build 198 Oct/Nov 23	1 Oct 23	Innovation	1 Aug	15 Aug	1 Sep	15 Sep 2023
Build 199 Dec 23/Jan 24	1 Dec 24	Retrofitting	1 Oct	15 Oct	1 Nov	15 Nov 2023
Build 200 Feb/Mar 24	1 Feb 24	Legislation update	1 Dec	6 Dec	8 Jan	15 Jan 2024
Build 201 Apr/May 24	1 Apr 24	Natural disasters	1 Feb	15 Feb	1 Mar	15 Mar 2024
Build 202 Jun/Jul 24	1 Jun 24	Sustainability	1 Apr	15 Apr	1 May	15 May 2024

NOTE: THE FEATURES SCHEDULE IS SUBJECT TO CHANGE WITHOUT NOTICE.




## Print advertising sizes and rates



#### FULL PAGE

Trim area: 210 mm × 275 mm Bleed area: 3 mm (216 mm × 281 mm) Image area: 186 mm × 245 mm



HALF PAGE HORIZONTAL Size: 186 mm × 120 mm



**THIRD PAGE HORIZONTAL** Size: 186 mm × 78 mm



90 mm × 245 mm

HALF PAGE VERTICAL

Size: 90 mm × 245 mm

THIRD PAGE VERTICAL

Size: 59 mm × 245 mm

59 mm

× 245 mm

DOUBLE PAGE SPREAD Trim area: 420 mm × 275 mm Bleed area: 3 mm (426 mm × 281 mm)



HALF DOUBLE PAGE HORIZONTAL Trim area: 420 mm × 135 mm Bleed area: 3 mm (426 mm × 138 mm)



QUARTER PAGE Size: 90 mm × 120 mm

#### MECHANICAL

Column depth 235 mm Column width 56 mm 2 or 3 columns per page 175 lpi screen Perfect bound Sheetfed offset



**COVER SHEET** Size: 195 mm × 165 mm



#### Rates (per issue and exclusive of GST)

SIZE	1X	3X	6X
Full page	\$4,400	\$4,260	\$4,060
Double page spread	\$7,950	\$7,680	\$7,425
Half double page	\$4,400	\$4,260	\$4,060
Half page	\$3,120	\$2,950	\$2,780
Third page	\$2,605	\$2,480	\$2,370
Quarter page	\$2,360	\$2,260	\$2,150
Cover sheet	\$3,465	-	-

#### Special position premium

Outside back cover plus 15%.

Inside front or back cover, page 1 or special requests plus 10%. Gatefold price on application.

#### **Products to watch**

\$830 to showcase your innovative product.

#### Onserts

From \$450 per 1,000 – that's only 45 cents per hit. Onserts over 4 pages from \$525 (size and weight is restricted). Minimum charge \$450.

#### **Design service**

\$150 per hour.

## Products to watch

#### 'Products to watch' is an exciting, alternative, affordable advertising opportunity in *Build* magazine.

Have you got an interesting new building and construction industry product? If so, submit details of it for us to consider for inclusion in 'Products to watch'. Examples may include the latest builders' or architects' tools or toys or innovative building materials or products.

Two to five products are selected to feature in each issue. A decision on the products included will be made by the *Build* editorial team. Submission of information does not guarantee acceptance.

#### **Material needed**

Material submitted needs to include:

- product name
- a short description (40 to 80 words)
- a high-resolution good-quality image of the product only, preferably clear cut or on a plain background
- · RRP (if applicable)
- $\cdot$  website and/or phone number
- · BRANZ Appraisal logo (if applicable).



#### Images

- Images should be a high-resolution JPG or TIFF file preferably clear cut with a clipping path or quick mask alpha channel.
- · Photoshop files are acceptable.
- All images are to be CMYK or greyscale, not RGB or other colour formats.
- Recommended resolution is 300 dpi or above at 100%.

#### Cost

'Products to watch' is an affordable paid advertising promotion. The cost is \$830 + GST.

#### Disclaimer

Inclusion does not imply an endorsement or technical approval of the product by BRANZ.

#### Where to send material

Email information to be considered to buildadverts@branz.co.nz Include 'Products to watch' in the subject line.

## **Onserts**

Need an affordable way to get your material to potential customers? We can offer you muscle and reach by inserting your material with BRANZ's *Build* magazine.

Architects, builders, building officials – we can reach them all. With many groups on our database for you to choose from and six different areas, we make it easy for you to reach your target audience.


From \$450 per 1,000 – that's only 45 cents per hit. Onserts over 4 pages from \$525 (size and weight is restricted, so please ask).

\* Minimum charge of \$450 applies.




## **Online advertising sizes and rates**


LEADERBOARD (BOTTOM)



# ARTICLE 728 PX (W) × 90 PX (H) HEADER

MEDIUM RECTANGLE





#### POSITIONS LEADERBOARDS

Leaderboards display when the browser is 768 pixels or more wide. They can be:

- top above the navbar/header
- bottom above the footer.

#### RECTANGLES

A medium rectangle appears on article pages in the left column when the browser is at least 768 pixels or below the article when the browser is under 481 pixels. This is replaced by a small rectangle in the left columns when the browser width is 481 to 767 pixels.

#### SHARE OF VOICE

A maximum of three advertisements will appear in each advertising position, sold on a first-come basis.

#### DEADLINES

Bookings close on the 15th of the previous month. Material is due by the 20th of the previous month.

#### WHERE TO SEND MATERIAL

Email the image and URL link by the 20th to **buildadverts@branz.co.nz** 

#### Rates (per month and exclusive of GST)

AD TYPE		SIZE		CASUAL	6 MONTHS	12 MONTHS
Leaderboard (top)		728 px (w) × 90 px (h)		\$770	\$720	\$670
Medium rectangle	1	300 px (w) × 250 px (h)	1	\$460	\$410	\$360
Small rectangle	ſ	180 px (w) × 150 px (h)	5	\$400	\$410	\$300
Leaderboard (bottom)		728 px (w) × 90 px (h)		\$610	\$560	\$510

#### www.buildmagazine.co.nz

## **Print material specs**

#### SOFTWARE

#### ACROBAT PDF PREFERRED

High-resolution PDFs are our recommended file format. We require a **pressoptimised PDF**, distilled with Acrobat 4.0

or greater.

- Please ensure:
- all fonts are embedded
- images are CMYK and at least 300 dpi
  black areas are set to overprint
- black areas are set to overprint
- bleed and trim marks are included.

#### ADOBE ILLUSTRATOR

All fonts need to be outlines or embedded and all images embedded or links attached. Save as EPS.

#### ADOBE PHOTOSHOP

Ensure files are in CMYK mode and 300 dpi at 100% scaling. Save as EPS or TIFF.

#### UNACCEPTABLE SOFTWARE

Word, Publisher and PowerPoint files will not be accepted.

#### **FILE SETTINGS**

#### BLEED

All bleed adverts should have register and crop marks located at least 3 mm outside the trim area, 5 mm is recommended.

#### DOUBLE PAGE SPREADS

Please supply the PDF as two single pages, not as a spread.

#### IMAGES

All images are to be CMYK or greyscale, not RGB or other colour formats. Recommended resolution is 300 dpi or above at 100%. If the file needs transparency flattening when printing, all images must be high resolution.

#### COLOURS AND FONTS

Text and images must be supplied CMYK or greyscale, no spot or RGB colours. No embedded colour profiles. Embed all fonts, including in EPS files.

#### BRANZ APPRAISAL LOGO

An advertisement for a product with a current BRANZ Appraisal should include the Appraisal logo with number and date.

## **Online material specs**

#### IMAGES

All artwork to be RGB colour, flattened with no transparency layers. Recommended minimum resolution is 72 dpi.

#### ADVERT SIZES

All dimensions in pixels, width by height: • Leaderboard 728 px by 90 px.

- Medium rectangle 300 px by 250 px.
- Small rectangle 180 px by 150 px.

#### FORMAT

Artwork should be JPG, PNG or GIF.

#### FILE SIZE

Artwork must not exceed 150 KB.

#### HYPERLINKS

Supply a complete URL with image.

#### Email all adverts to: BUILDADVERTS@BRANZ.CO.NZ

## **Advertising sales**

#### Jonathan Taggart

- T: 027 269 8639
- E: jonathan.taggart@branz.co.nz

## **General enquiries**

E: build@branz.co.nz W: www.buildmagazine.co.nz

#### **Terms and conditions**

1. BRANZ reserves the right to refuse or omit any advertisement that it deems unsuitable for publication for any reason whatsoever and may insert above or below any copy the word 'ADVERTISEMENT'. 2. Any production/layout work to be done by BRANZ may incur an extra charge. 3. Unless a preferred position is specified, available and payment of the appropriate loading undertaken, the placement of the advertisement shall be at the discretion of BRANZ. BRANZ will attempt to meet advertisers' requests for preferred positions, but such requests cannot be guaranteed. While every care is taken, BRANZ will not accept liability for any loss whatsoever incurred through error or non-appearance of any advertisement. 4. Cancellation notice must be received in writing no later than 5 pm on the due date for advertising material. 5. In the event of advertising material not being received by the agreed deadline, BRANZ reserves the right to charge in full for the space booked and to use existing client material if available. 6. A copy of the publication and an invoice for the advertisement will be forwarded on publication. Payment is due by the 20th of the following month. 7. All advertisements and inserts/onserts submitted to BRANZ for inclusion in *Build* magazine or *Build online* will be subject to a technical review and audit of the material. BRANZ deems to be technically incorrect or that BRANZ considers breaches advertising standards generally accepted or legislated in New Zealand, including material that relates to ethics, comparative advertising or advertising that focuses on competitors' products or services or environmental claims or material that BRANZ considers attempts to look like or copy a genuine *Build* article. The technical review does not imply any endorsement or approval of the product by BRANZ. 8. Full terms and conditions are on the *Build* booking confirmation form.